


Fig. 1






FIGURE 2




FIGURE 3




FIGURE 4

FIG. 2

FIGURE 5




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8





FIGURE 9

FOR THE



| | No. 1 | No. 2 | No. 3 | No. 4 | No. 5 |
|--------------------|-------|-------|--------|--------|--------|
| ▨ Avg Box Surface | 88.18 | 95.32 | 103.88 | 103.65 | 102.18 |
| ▨ Avg Box Internal | 25.51 | 27.47 | 23.79 | 22.09 | 18.76 |
| □ % Sys Efficiency | 71.07 | 71.19 | 77.10 | 78.69 | 81.64 |

FIGURE 10

TOP 446660




FIG. 11.




FIG. 12.




FIG. 12A.




FIG. 13.




FIG. 14.




FIG. 15.

FIG. 13

FIG. 14

FIG. 15

FIGURE 16

Kosher Meat Purveyor - 72 Hour LAB Test - 5 Feb to 8 Feb - Summary Graph (All Rights Reserved)

2 Chicken Trays - (1/8" MF) ThermaBarrier 3-Ply Liner & 6.13# ThermaFreeze(TM) Refrigerant




FIGURE 17

[Prepared Meal Producer] 21 Dec to 24 Dec (All Rights Reserved)
 72 Hour LAB Shipping Test for Dysphagia Diet Foods Shipment [Summary Graph]




FIGURE 18

International Processed Potato Producer - BB:05 Hour (3 Days, 16 Hrs, 5 Mins) FIELD Test
Time of Test - 5 Apr to 9 Apr via UPS Ground Service - Summary Graph (All Rights Reserved)




FIGURE 19

[Midwestern Candy Manufacturer] - 66-Hour FIELD Test - 23 to 26 April, 2001
SUMMARY Test Results From Test in Plain Corrugated Box (All Rights Reserved)





FIGURE 20

NON-ATTENDED Scenario - 15-Hr, 30 Min Emulated Perishables Delivery (in Corrugated Box)
with last 3 Hours, 20 Minutes in Direct Sunlight Emulating Outside Home Standing Time (All Rights Reserved)

Corrugated Box with 1-Ply ThermaBarrier(TM) Cover, 9 Pds. ThermaFreeze(TM) & Two 1-ply ThermaBarrier(TM) Pouches




707030" 2426T660

FIGURE 21

24-Hour Lab Chamber Torture Test - 19 to 20 April

Summary of Results from ThermoBarrier 12 x 16 x 1/2" MF Pouch Test (All Rights Reserved)



1-PLY

VACUUM DEPOSITED METAL
OR LAMINATED FOIL = "METALLIZED SURF"




Fig. 22

2-PLY (Version #1)




Fig. 23

Z-PLY (Version #2)




Fig. 24

3-ply




Fig. 25